



Blood Bank

The Blood Bank is located within the main building of Community Hospital-South. A map of the hospital, which shows the location of the blood bank within the hospital, is attached to this document.

1. The minimum inventory of the blood bank includes:
 - a. Leukoreduced Packed Cells
 - 12 units of O positive
 - 10 units of O negative
 - 12 units of A positive
 - 6 units of A negative
 - 2 units of B negative
 - b. Plasma
 - 6 units of type AB
 - 4 units of type A
 - 4 units of type O
 - c. Cryoprecipitate
 - 2 pools of type AB
 - d. Platelets
 - One apheresis

When a code trauma is called, the blood bank will release platelets and call Central Indiana Blood Center and have another apheresis of platelets couriered over to Community South within 30mins.



3A

Edward J. Diekhoff, M.D.

Birthdate and Place of Birth:

April 5, 1960 Indianapolis, IN

Personal:

Married with 4 children

Education:

University of Cincinnati Department of Surgery 1986-1991
Cincinnati, OH
General Surgery Residency

Indiana University 1982-1986
Bloomington, IN
Medical Doctorate – Highest Distinction

Northwestern University 1978-1982
Evanston, IL
B.A. 3.63/4.0

Professional Experience:

Community Physician Network General Surgical Care South 10/2012-present
Greenwood, IN
Surgeon in a group practice providing general surgical care to area residents.

Premier Surgical, LLC 1995-10/2012
Greenwood, IN
Partner in a group practice providing general surgical care to area residents.
(acquired by Community Physicians Network in October 2012)

Franklin Surgical Associates
Franklin, IN
General Surgeon

Awards, Honors & Professional Organizations:

Alpha Omega Alpha Medical Honor Society
Max Zinner Award for Scholarly Achievement, Department of Surgery, University of Cincinnati, 1990
Fellow, American College of Surgeons
Indiana State Medical Association
University of Cincinnati Graduate Surgical Society
Diplomate, American Board of Surgery (Expires July 1, 2013)
Society of American Gastrointestinal Endoscopic Surgeons

Publications:

Contributor, "Adenocarcinoma of the Colon and Rectum" chapter in The Mont Reid Handbook: The University of Cincinnati Surgical Manual, M.S. Nussbaum (ed.), Chicago, Yearbook Medical Publishing, 1988

Contributor, "Burns" chapter in The Mont Reid Handbook: The University of Cincinnati Surgical Manual, D.T. Hiyama (ed.), Chicago, Yearbook Medical Publishing, 1990

"Lower Gastrointestinal Bleeding", Ohio Medicine 86:460-463, 1990



Trauma Surgeon Response

We have not started keeping track of Surgeon response times. We have developed a plan to start keeping track of surgeon response times upon notification that we are formally in process of a Level III Trauma Center designation. Assuming we are approved, our planned start date for keeping track of surgeon response times is August 8, 2014.

On August 8th, we will begin calling Traumas using our Trauma Activation Criteria. Trauma surgeons and staff have been trained on the response requirements. The trauma surgeons know that a surgeon must be at bedside within 30mins of the patient's arrival. We have developed the following way to document when the trauma surgeon arrives at bedside. We have a Trauma Log that will be kept at the unit clerks' desk in the Emergency Department. That Log is attached to this document. We report times monthly at our PIPS meetings. The Trauma Medical Director and Trauma Program Manager will review Traumas chart and Surgeon response times after each trauma. Any issues with response times will be addressed immediately by Trauma Medical Director, including education and developing new internal procedures to ensure prompt response times.



**COMMUNITY SOUTH ED
TRAUMA ACTIVATION LOG**

Patient Sticker	Chief Complaint	Code Trauma	Trauma Alert	Surgeon	Response Time	
					Paged	Arrived



MACL Minimum Inventory

BB.GEN.2.0

Minimum Inventory

STATEMENT OF PURPOSE

To define the minimum levels of blood products to be available at all times.

SCOPE

This procedure applies to all Mid America Clinical Laboratory Blood Banks.

(Each site will have a specific minimum level.)

• Community Hospital South

Product	O+	O=	A+	A=	B+	B=	AB+	AB=	Notes
RL	12	10	12	6		2			
RINF		1							LR,IRR,CMV- with ped bags attached. Fresh one delivered on Friday
Plasma	4		4				4		
Cryo	2 pools								
Platelets	1 apheresis available								

- RL = Red Cells Leukoreduced RINF = Red Cell Infant: <5days, Irr, LR, CMV neg
- Inventory is to be taken each shift. The Blood Bank associates are responsible for maintaining the minimum inventory and for calling the blood supplier for restock.
- When inventory falls below minimum levels, sufficient blood products should be ordered to maintain minimum inventory levels.
- Both the Indiana Blood Center and American Red Cross will network with other FDA approved blood centers to obtain blood products in the event of a local shortage.
- Blood products may be obtained from other Mid America Clinical Laboratories facilities in the case of a site-specific shortage.

12A